ADOPTION OF ESJGWA GSP AMENDADADA AND PERIODIC WITTED TO A CONTRACT OF THE CON

Jackson

Happy Valle

Rail Road Flat

Vallecito

Fireb

88






What Does SGMA Require?

- Groundwater Sustainability Agencies (GSAs) must be formed. GSAs must prepare and submit the initial Groundwater Sustainability Plans (GSPs) by:
 - January 2020, for critically overdrafted basins
 - January 2022, for remaining high and medium priority basins
- GSPs must include measurable objectives and milestones to achieve sustainability within 20 years of GSP adoption
- GSAs must assess progress every 5 years after initial GSP submittal through Periodic Evaluations (PEs)
- GSP development must be open and transparent

Eastern San Joaquin Subbasin



ESJ Subbasin boundaries:

- North Dry Creek
- West San Joaquin River
- South Stanislaus River
- East Sierra Nevada Bedrock Outcrop

1,195 square miles

ESJ is Classified by the State as a High Priority Critically Overdrafted Basin




This means that the initial GSP was submitted on January 31, 2020


Background

6

- January 30, 2020: As a critically overdrafted basin, initial GSP for ESJ Subbasin is submitted
- January 28, 2022: Subbasin receives incomplete determination from DWR, has 180 days to address 2 deficiencies
- July 27, 2022: Subbasin submits 2022 Revised GSP
- July 6, 2023: Subbasin receives approval determination from DWR with 8 recommended corrective actions




DWR's Recommended Corrective Actions (RCAs)



Periodic Evaluation

- SGMA requires that GSAs evaluate the GSP every 5 years and whenever the Plan is amended to:
 - Provide status of groundwater conditions
 - Discuss progress towards meeting interim milestones & measurable objectives
 - Describe advancement of projects and management actions and unforeseen challenges
- ESJ Subbasin's first Periodic Evaluation is due January 29, 2025 along with the 2024 Amended GSP
 - Together, these documents address the 8 Recommended Corrective Actions

Simplified Schedule of Activities




9

Technical Work Overseen by Project Management Committee

Ashley Couch	Water Resources Manager, SJ County
Steve Schwabauer	GM, NSJWCD
Mitch Maidrand	Deputy Director MUD, City of Stockton
Scot Moody	GM, Oakdale Irrigation District
Justin Hopkins	GM, Stockton East Water District
Brandon Nakagawa	Water Resources Coordinator, SSJID

The GSP – What's In It?



- 1. Agency Information, Plan Area, & Communication
- 2. Basin Setting
 - Hydrogeologic Conceptual Model
 - Current & Historical Conditions
 - Water Budget
- 3. Sustainable Management Criteria
- 4. Monitoring Networks
- 5. Data Management System
- 6. Projects & Management Actions
- 7. Plan Implementation
- 8. References

Completing the 5-Year Update



Address 8 recommended corrective actions



Prepare 2024 GSP Amendment



Prepare Subbasin's first Periodic Evaluation

Hold public open house & public review period




GSA adoption of GSP Amendment & approval of Periodic Evaluation

Submit all documentation by January 29, 2025 deadline



Near-Term SGMA Work Plan Items

- 1. Conduct spring & fall monitoring
 - 1. GWL
 - 2. GWQ
 - 3. Subsidence
- 2. Complete Annual Reports
 - Initiate DMS structure updates for 2025 Annual Report
 - Model data updates
- 3. Begin development of Demand Management Program
- 4. Execute relevant elements of Communication & Engagement Plan



Agenda

- 1. Background & Context
- 2. Work in 2024
 - 2024 Amended GSP
 - Periodic Evaluation
- 3. Board Action
 - Resolution Adopting 2024 Amended GSP
 - Resolution Approving Submittal of Periodic Evaluation